

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-2. (cancelled)

3. (currently amended) The ~~mechanism~~ spray gun of claim [[2]] 8, wherein the control lever exhibits a groove for slidably housing the second end portion of the activating lever.

4. (cancelled)

5. (currently amended) The ~~mechanism~~ spray gun of claim [[1]] 8, wherein the activating lever is associated to a pin arranged in contact with a pusher element of the intercept valve.

6. (currently amended) The ~~mechanism~~ spray gun of claim [[1]] 8, wherein it comprises an elastic element interpositioned between the activating lever and the handle grip for obtaining a return of the mechanism into a rest position thereof.

7. (cancelled)

8. (new) A spray gun for water cleaner apparatus, comprising:

an intercepting valve; and

an activating mechanism for the intercept valve,

the activating mechanism comprising

a manually-operated control lever hinged at a first end thereof to a pivot arranged in proximity of a handle grip of the spray gun for opening the intercept valve, and

an activating lever which acts on the intercept valve and exhibits a first end portion which is pivoted to a hinging pivot arranged in proximity of a back portion of the handle grip and a second end portion which is constrained to the control lever by a contact coupling,

wherein the activating lever exhibits a length which places the second end portion in contact with the control lever along an axis passing through the pivot of the control lever and the hinging pivot of the activating lever when the spray gun is in a first rest position.

9. (new) A spray gun for water cleaner apparatus, comprising:

a handle grip with a back portion;

an intercepting valve; and

an activating mechanism operatively connected to the intercept valve,

the activating mechanism comprising

a manually-operated control lever hinged at a first end thereof to a pivot arranged in proximity of the handle, the control lever opening the intercept valve, and

an activating lever operatively connected to act on the intercept valve so that a first end portion is pivoted to a hinging pivot arranged in proximity of the back portion of the handle grip and a second end portion which is constrained to the control lever by a contact coupling,

wherein the activating lever has a length which places the second end portion in contact with the control lever along an axis passing through the pivot of the control lever and the hinging pivot of the activating lever when the spray gun is in a first rest position.

10. (new) A spray gun for water cleaner apparatus, comprising:

a handle grip with a back portion;

a hinging pivot proximate to the back portion of the handle grip;

an intercepting valve; and

an activating mechanism, operatively connected to the intercept valve, and comprising

a manually-operated control lever, hinged at a first end thereof to the pivot, opening the intercept valve, and

an activating lever operatively connected to the intercept valve with a first end portion pivoted to the hinging pivot and a second end portion constrained to the control lever by a contact coupling,

wherein the activating lever has a length which places the second end portion in contact with the control lever along an axis passing through the pivot of the control lever and the hinging pivot when the spray gun is in a first rest position.